

Joliet Junior College
Request for Bid
BLEACHER MAINTENANCE

SPECIFICATIONS:

We are seeking lump-sum bids to perform annual bleacher/athletic equipment inspections and repairs on the following equipment over the next 5 years beginning on July 1, 2020. **Please be sure to include detailed information on your company's policies and procedures for these services.**

Event Center:

Manufacturer: Sheridan
 Model: M200
 15 Sections, 10 Rows
 Estimated Gross Seating: 1995
 Operation: Powered
 Surface: Plastic

Recommended Work during inspection:

- Lubricate as recommended by Manufacturer.
- Safety rowlocks serviced/repaired for safe, even operation and row stability.
- Check and tighten loose or missing anchors and frame fasteners, replace as needed.
- Check and tighten loose fasteners and replace missing exposed surface fasteners.
- Clean and check power unit drive rollers for traction and even operation.
- Inspect end rail systems to meet existing bleacher codes; adjust, align and tighten.

Athletic Equipment (Event Center):

Basketball Backstops: 14 total
 Divider Curtains: 3 total
 Batting Cages: 1 total
 Operation: Powered and stationary

Recommended work during inspection:

- Yearly inspection and service to maintain safe operating conditions.
- Check and tighten anchors, mounts, clamps and fasteners.
- Check cables for kinks, frays, and tighten fasteners at attachments
- Check and service all cables pulleys/sheaves, mounts, guides, spools as needed.
- Check and tighten all backboards and rim fasteners.
- Check and tighten winch fasteners and anchors.
- Adjust limit switches to recommended settings.

Main Gym:

Manufacturer: Hussey
 Model: 2600
 6 Sections, 11 Rows
 Estimated Gross Seating: 748
 Operation: Powered
 Surface: Plastic

Recommended work during inspection:

- lubricate as recommended by Manufacturer
- Safety rowlocks serviced/repaired for safe, even operation and row stability.
- Check and tighten loose or missing anchors and frame fasteners, replace as needed.
- Check and tighten loose fasteners and replace missing exposed surface fasteners.
- Clean and check power unit drive rollers for traction and even operation.
- Inspect end rail systems to meet existing bleacher codes; adjust, align and tighten.

Bleacher and Athletic Equipment need to be inspected annually by certified technicians meeting all codes pertaining to bleachers operations and standards.